VERDE CONTHOOSE

Safety Data Sheet

Date Issued:

6/5/2015

SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

PRODUCT NAME: Gem

RECOMMENDED USE: Deodorizer

RESTRICTIONS ON USE: For intended use only

MANUFACTURER:

Fresh Products, LLC 4010 South Ave

Toledo Ohio 43615

USA

TELEPHONE: +1-419-531-9741

FAX: +1-419-531-8472

EMERGENCY CONTACT (spill/release): 800-424-9300

ITEM NUMBER: Gem

Section 2: HAZARDS IDENTIFICATION

<u>General</u>: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment.



WARNING

Safety Phrases:

S2: Keep out of reach of children

S37: Wear suitable gloves.

Hazard Phrases:

H302: Harmful if swallowed.

H317: May cause allergic skin reaction.

Precautionary Phrases:

P264: Wash hands thoroughly after handling.

P301+310: If swallowed, call physician

P302+P352: If on skin, wash with plenty of water. P332+P313:If rash occurs, seek medical attention.

P501: Dispose of contents to an approved waste disposal plant.

SECTION 3: INGREDIENT INFORMATION

<u>Chemical Identification</u>: Solid plastic slow-release deodorizing preparation in the form of a urinal air freshener/deodorizer. It is made from pigmented thermoplastic impregnated with a fragrance composition and color to represent the fragrance. For institutional use only.

Form/Shape: Urinal screen weighs approximately 50g.

<u>CAS Number</u>: Not applicable since the product is a preparation. <u>EINECS/ELINCS #:</u> Not applicable since the product is a preparation. The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

Level (%)	CAS Nr	EC Nr	Substance
60-80%	24937-78-8		ETHYLENE-VINYL ACETATE COPOLYMER
20-40%	N/A	N/a	FRAGRANCE

SECTION 4: FIRST AID MEASURES

General: No specific acute effects or symptoms are known.

Inhalation: No acute effects expected. If person is feeling unwell, remove to fresh air.

<u>Ingestion:</u> Possibility of ingestion limited due to product form and difficulty to chew and ingest. In the event of ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

Eyes: Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

<u>Exposure Hazards</u>: Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

SECTION 6: ACCIDENTAL RELEASE MEASURES

No special requirements for accidental release required. Apply good housekeeping practices.

SECTION 7: HANDLING AND STORAGE

<u>Usage Precautions</u>: Follow normal good-housekeeping practices. Keep away from direct flames. <u>Storage Precautions</u>: Keep in cool, dry conditions in original containers at no more than 30° C

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

<u>Protection</u>: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thermoplastic screen infused with fragrance oil.

Odor: Various Fragrance

Odor Threshold: Not determined

Color: Various Color

pH value: Not determined/applicable

<u>Melting Pt</u>: Estimated 60° C <u>Boiling Pt</u>: Not applicable.

Flash pt: Not applicable.

Evaporation Rate: Not applicable.

Flammability: Not determined/applicable

<u>UEL:</u> Not determined LEL: Not determined

<u>Vapor Pressure:</u> Not determined/applicable <u>Vapor Density:</u> Not determined/applicable

<u>Relative Density:</u> Not determined <u>Solubility in water: Insoluble.</u>

<u>Partition Coefficient:</u> Not determined <u>Autiignition Temperature:</u> Not applicable

<u>Decomposition Temperature:</u> Not determined/applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

<u>Decomposition Products</u>: None under normal storage conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Acute Effects:</u> Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Chronic Effects: None are known.

Health Risks:

INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects.

INGESTION: No practical risk of adverse health effects. SKIN CONTACT: No practical risk of adverse health effects. EYE CONTACT: No practical risk of adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment.

Ecotoxicity: N/A

Persistence and Degradability: N/A Bioaccumulative Potential: N/A

Mobility in Soil: N/A

Other Adverse Effects: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste

SECTION 14: TRANSPORT INFORMATION

Product is not regulated as hazardous DOT Classifications: Non Hazardous

UN-Number: N/A

UN Proper Shipping Name: N/A

Transport Hazard Class: N/A

Packing group: N/A Marine Pollutant: N/A

Special Precautions with Transport: N/A

SECTION 15: REGULATORY INFORMATION

Classification, Packaging and Labeling according to Directive 99/45/EC

Signal word:

WARNING

Pictograms:

Exclamation mark

Safety Phrases:

S2: Keep out of reach of children

S37: Wear suitable gloves.

Hazard Phrases:

H302: Harmful if swallowed.

H317: May cause allergic skin reaction.

SECTION 16: OTHER INFORMATION

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)



Spitfire RTU Power Cleaner

Version Number: 6

Preparation date: 2015-09-29

1. IDENTIFICATION

Product name: Product Code: Spitfire RTU Power Cleaner 95891789, 100870948

SDS #:

MS0800202

Recommended use:

Uses advised against:

Cleaning productThis product is intended to be used neat.

Uses other than those identified are not recommended

Manufacturer, importer, supplier: US Headquarters Sealed Air 8215 Forest Point Blvd. Charlotte, NC 28273-5509 Phone: 1-888-352-2249 and that those identified are not recommended

3755 Laird Road Mississauga, Ontario L5L 0B3

Phone: 1-800-668-7171

Canadian Headquarters

Sealed Air - Canada

SDS Internet Address: https://sds.sealedair.com

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Serious eye damage/eye irritation

Category 2A



Signal Word:

Warning.

Precautionary Statements

CAUSES SERIOUS EYE IRRITATION.

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

Classification for the diluted product @ RTU

This product is intended to be used neat.

Spitfire RTU Power Cleaner





Precautionary Statements

See undiluted product information above

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Benzyl alcohol	100-51-6	3% - < 5%
Diethylene glycol monoethyl ether	111-90-0	1% - < 3%
Sodium xylene sulfonate	1300-72-7	1% - < 3%
Alcohol ethoxylates	68439-46-3	1% - < 3%
Monoethanolamine	141-43-5	> 0.1% - < 1%
Potassium hydroxide	1310-58-3	> 0.1% - < 1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required.

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: None known.

Diluted Product:

This product is intended to be used neat.

Eyes: See undiluted product information above.

Skin: See undiluted product information above.

Inhalation: See undiluted product information above.

Ingestion: See undiluted product information above.

5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Wash thoroughly after handling. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN. Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Spitfire RTU Power Cleaner

Ingredient(s)	CAS#	ACGIH	OSHA
Benzyl alcohol	100-51-6	-	-
Diethylene glycol monoethyl ether	111-90-0	_	-
Sodium xylene sulfonate	1300-72-7	-	-
Alcohol ethoxylates	68439-46-3	_	_
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	-

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: Hand protection: Chemical-splash goggles. Chemical-resistant gloves.

Skin and body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

This product is intended to be used neat.

Personal Protective Equipment

Eye protection: Hand protection:

Skin and body protection: Respiratory protection: Hygiene measures:

Chemical-splash goggles. Chemical-resistant gloves.

No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Handle in accordance with good industrial hygiene and safety practice.

Color: Clear, Red

Odor: Fresh Pine

VOC: 0.45 % *

Boiling point/range: Not determined

Solubility: Completely Soluble

Decomposition temperature: Not determined

Partition coefficient (n-octanol/water): No information available

Relative Density (relative to water): 1.015

Vapor density: No information available

Viscosity: No information available

Vapor pressure: No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Evaporation Rate: No information available

Odor threshold: No information available. Melting point/range: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available

Density: 8.47 lbs/gal 1.015 Kg/L Bulk density: No information available

Flash point: > 200 °F > 93.3 °C
Dilution Flash Point: 200 °F 93.3 °C

Elemental Phosphorus: 0.00 % by wt. **pH:** 12.3

Dilution pH: 12.3 @ RTU

VOC % by wt. at use dilution 0.45 % * Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined Explosion limits: - upper: Not determined - lower: Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity:

Not Applicable

Stability:

The product is stable

None reasonably foreseeable.

Hazardous decomposition products: Materials to avoid:

Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Spitfire RTU Power Cleaner

3 of 5

Skin contact: May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.

Eye contact: Causes serious eye irritation. Symptoms may include pain, redness, and watering.

Ingestion: May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000
ATE - Dermal (mg/kg): >5000
ATE - Inhalatory, mists (mg/l): >20
ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers. RCRA Hazard Class (undiluted product): Not Regulated

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Benzyl alcohol	100-51-6	X	-	X	-
Diethylene glycol monoethyl ether	111-90-0	-	X	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Alcohol ethoxylates	68439-46-3	-	-	-	-
Monoethanolamine	141-43-5	X	X	X	_
Potassium hydroxide	1310-58-3	X	X	X	X

2-butoxyethanol 111.76.2 V V V V V V V V V	
2-butoxyethanol 111-76-2 Y V V	

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	1% - < 3%			X
Potassium hydroxide	1310-58-3	> 0.1% - < 1%	1000		
2-butoxyethanol	111-76-2	> 0.1% - < 1%			Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		
2-butoxyethanol	X		

SARA 311/312 Hazard Categories

Immediate:

Χ

Delayed:

Fire:

Reactivity:

Sudden Release of Pressure:

Canadian Regulations

Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2 Flammability 0 Instability 0

Version Number: 6

Preparation date: 2015-09-29

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Additional advice:

• Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty. express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.