

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 11/16/2018 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : Microhybrid Light Cure Composite

Synonyms : Composite L/C Quick Cure, composite in Shades: C2, C1, Incisal, C3, C4, B/W,

A2 Opaque, More translucent A2, A3.5, A4, B1, B2, B3, B4, D2, D3, D4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For the use in the construction of composites. For professional dental use

only.

1.3. Details of the supplier of the safety data sheet

Scott's Dental Supply

7217 45th Street Ct E, Ste 103

Fife, WA 98424

Telephone: (800) 901-3368

1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing mist, vapors, fume.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 - Wear eye protection, protective gloves, protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see Section 4).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container according to local, regional, national,

and international regulations.

11/16/2018 EN (English US) 1/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Glass, oxide, chemicals	(CAS No) 65997-17-3	60 - 70	Carc. 1B, H350
2-Propenoic acid, 2-methyl-, (1-	(CAS No) 1565-94-2	15 - 25	Skin Irrit. 2, H315
methylethylidene)bis[4,1-phenylene			Eye Irrit. 2A, H319
oxy(2-hydroxy-3,1-propanediyl)] ester			Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, 1,6-	(CAS No) 6606-59-3	5 - 10	Skin Irrit. 2, H315
hexanediyl ester			Eye Irrit. 2A, H319
Silane, dichlorodimethyl-, reaction	(CAS No) 68611-44-9	1 - 5	Acute Tox. 2 (Inhalation:dust,mist), H330
products with silica			

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell,

seek medical advice (show the label where possible).

First-aid measures after inhalation : Not expected to present a significant inhalation hazard under anticipated

conditions of normal use.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least

15 minutes. Wash contaminated clothing before reuse. Seek medical

attention if ill effect or irritation develops.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Exposure may produce an allergic reaction. Causes severe irritation to eyes

and skin

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention.

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, alcohol foam, carbon dioxide, water spray, fog.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread

fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and

increasing risk of burns and injuries.

11/16/2018 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity : No reactivity hazard.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including

respiratory protection.

Other information : Refer to Section 9 for flammability properties.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not get in eyes, on skin, or on clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material, then place in suitable

container.

Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

Wash hands and other exposed areas with mild soap and water before

eating, drinking, or smoking and again when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Keep container closed when

not in use.

Incompatible products : Strong acids. Strong bases. Strong oxidizers.

7.3. Specific end use(s)

For the use in the construction of composites. For professional dental use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glass, oxide, chemicals (65997-17-3)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ total dust, 5 mg/m3, respirable	
		fraction 8 hr	

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of any potential exposure.

Personal protective equipment : Safety glasses. Gloves. Protective clothing.







Hand protection : Wear chemically resistant protective gloves.

Eye protection : Chemical goggles or safety glasses.

11/16/2018 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use a NIOSH-approved respirator or self-contained breathing apparatus

whenever exposure may exceed established Occupational Exposure Limits.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid (paste) **Appearance** : No data available Color : No data available Odor : No data available : No data available Odor threshold рН : No data available Relative evaporation rate (butyl acetate=1) : No data available : No data available Melting point Freezing point : No data available **Boiling point** : No data available Flash point : No data available : No data available **Auto-ignition Temperature** : No data available Decomposition temperature : No data available Flammability (solid, gas) Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient: n-octanol/water : No data available

9.2. Other information

VOC content : < 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Viscosity

No reactivity hazard.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Silicon oxides. Quartz (silica) will dissolve in hydroflouric acid producing a corrosive gas, silicon tetrafluoride. Barium oxides. Oxides of boron.

: No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)	
LC50 inhalation rat (mg/l)	0.477 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

11/16/2018 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified.

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national,

provincial, territorial and international regulations.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number

Not applicable

14.2. UN proper shipping name

No additional information available

14.3. Additional information

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Microhybrid Light Cure Composite		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard		
	Delayed (chronic) health hazard	
Glass oxide chemicals (65997-17-3)		

Glass, oxide, chemicals (65997-17-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/16/2018 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

Bisphenol A (80-05-07)

U.S. - California - Proposition 65 - Female List



WARNING: This product can expose you to chemicals including bisphenol A (BPA), which is known in the State of California to casue birth defects or other reproductive harm

For more infromation please refer to: https://www.p65warnings.ca.gov/

SECTION 16: Other information, including date of preparation or last revision

Revision date : 07/09/2014

Other information : This document has been prepared in accordance with the SDS requirements

of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases: see section 16:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Carc. 1B	Carcinogenicity Category 1B	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization Category 1	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H330	Fatal if inhaled	
H350	May cause cancer	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom 2012) - US

11/16/2018 EN (English US) 6/6