1. Identification

1. 1401101.	Lange C. L. M. Jan
Product Name & Reorder #:	SDS Code Number
Henry Schein Alginate Impression Material	850899
Reorder #: 101-2587; 101-7036; 103-4594; 101-4564;	
101-6472; 100-5455; 101-1906; 101-7428; 100-5292	
Trade Name & Synonyms	Date of Last Revision
Henry Schein Alginate Impression Material	02/21/14
Manufacturer:	Address:  Distributed by (in US only):
Manufactured for Henry Schein	
	HENRY SCHEIN INC.
	(manufacturer) 135 DURYEA ROAD
	MELVILLE, NY 11747 USA
	Information Telephone Number
Grades or Minor Variant Identities	1-800-472-4346
Fast Set and Regular Set	Emergency Telephone Number
Product Use (for Canada)	1-800-424-9300 (Chemtrec)
Dental Impression Material	1-000-121 7500 (516-111-1-)

# 2. Hazard(s) Identification



#### Danger

May cause cancer by inhalation May causes damage to lungs through prolonged or repeated exposure



# Warning Causes skin irritation

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment required.

If exposed or concerned: Get medical attention.

Store locked up.

Dispose of contents/container in accordance with local regulations

Wash hands thoroughly after handling.

Wear protective gloves.

If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

5. Composition/11	HOLIHARION ON INSI	culcuts	
Hazardous Components	C.A.S. Number	Exposure Limits	%
Silicon Dioxide -Crystalline - Cristobalite	14464-46-1	$0.025 \text{ mg/M}^3$	< than 35
Silicon Dioxide - Crystalline - Quartz	14808-60-7	$0.025 \text{ mg/M}^3$	< than 5
Silicon Dioxide - Amorphous - Diatomaceous Earth	68855-54-9	$0.1 \text{ mg/M}^3$	< than 30
Tetrasodium Pyrophosphate	7722-88-5	5 mg/M <sup>3</sup>	< than 20
Calcium Sulfate	10101-41-4	10 mg/M <sup>3</sup>	< than 7
Magnesium Oxide	1309-48-4	10 mg/M <sup>3</sup>	< than 3
Magnesium Oxide	- 1 1 00 11 · T 1	. 1	

Colorant Information: Fast Set Product contains D & C Red # 30 Aluminum Lake as colorant.

4. First Aid Measures

7. I list flid Wiedsdres						
Routes of	First Aid Instructions	Immediate	Delayed Effects			
Exposure		Medical Attention				
Eye	Rinse opened eye for several	Not Applicable	Not Applicable			
	minutes under running					
	water. If symptoms persist					
	consult physician	<u> </u>				

Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Supply fresh air, consult physician if symptoms persist	Not Applicable	Irritation and soreness in throat and nose. In extreme exposures some congestion may occur. Inhalation of crystalline silica has been classified by IARC as carcinogenic for humans (Group1). Inhalation of crystalline silica is also a known cause of silicosis, a non-cancerous lung disease caused by excessive exposure to crystalline silica. Respirable dust from this product may contain up to 26 % free crystalline silica (Cristobalite) and up to 3% crystalline silica (Quartz). As such it represents a risk to the respiratory system. Long term, unprotected exposure to dust levels in excess of the TLV or PEL may cause lung disease (silicosis).
Ingestion	If symptoms persist consult physician	Not Applicable	Low order of toxicity is expected when material is ingested.
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physi	cians (Treating, Testing and Me	onitoring): Treat syn	nptomatically.

5. Fire and Explosion Data

	ion Data		
Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable		Autoignition Temperature: Not Applicable	Other: Not Applicable
Properties Contributing to Fire Intensity: Not Applicable		Flammability Classification:	
	Extinguishing Med	dia to Avoid: Water with full int	·
Firefighters should wear self-contained respirat	ory protective device	200	
mmon with most inorganic / organic materials	this product should	he treated as a combustible dust in a	ne finely divided
	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable Properties Contributing to Fire Intensity:  Firefighters should wear self-contained respirat	Flammable (Explosive) Limits in Air LEL: Not Applicable UEL: Not Applicable  Properties Contributing to Fire Intensity: Not Applicable  Extinguishing Me  Firefighters should wear self-contained respiratory protective devicement of the product should be a self-contained respiratory protective devicement.	LEL: Not Applicable UEL: Not Applicable  Not Applicable

#### 6. Accidental Release Measures

Containment Techniques: Material is a dry fluffy powder, which is colored pale yellow or pink. Store only in the original package. Keep package tightly sealed to minimize dust generation and accumulation. The avoidance of any air contaminant is always a recommended practice. Adherence to work place ventilation standards is an assurance of general personnel health and comfort

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of drying out the skin. Ensure adequate ventilation, by either natural or mechanical means to keep dust level below PEL.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store in a cool dry area. Store away from food and beverages. Minimize dust generation and accumulation. Avoid breathing dust and contact with eyes. Return cap to canisters immediately. Close pouches immediately after use. Continue to follow all MSDS/label warnings when handling empty containers. Observe normal warehouse handling procedures. The avoidance of any air contaminant is always a recommended practice. Adherence to work place ventilation standards is an assurance of general personnel health and comfort.

### 8. Exposure Control / Personal Protection











Ventilation: Ensur	re adequate ventilation, by either natural or mechanical means to keep dust level below PEL.	Other Engineering Court	1 37 4. 11. 11.			
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	Other Engineering Contro				
Eye/Face	Safety Glasses		PPE for Emergencies			
Skin	The glove material has to be impermeable and resistant to the product		Not Applicable  Not Applicable			
	Inhalation Recommended NIOSH approved nuisance dust mask. <10X PEL, use 3M 9900; <100X PEL, use MSA Ultra-Twin with H filter; <200X PEL, use MSA 01-00-06 with type C supplied air unit (continuous flow mode); or equivalent. Use sufficient natural or mechanical ventilation to keep dust level below PEL.					
	Body Protection   Protective work clothing such as lab coat					
Protective Measur	Considerations and Work Practices: Avoid dusting when in use. Keep away from foodstuffs, bevolutions. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin. Does During Repair and Maintenance of Contaminated Equipment: Not Applicable Measures and Equipment: Not Applicable	erages and feed. Immediately o not eat, drink or smoke wh	Not Applicable y remove all soiled en using.			

9. Physical and Chemical Characteristics

Ammanana Day Cl. CC	- V	ter istres
Appearance: Dry fluffy powder. May be colored	oink or white.	Odor: Spearmint odor.
Normal Physical State: Dry fluffy powder.		Odor. Spearining odor.
		Melting Point: Not Applicable
Specific Gravity: 0.3 g/cm <sup>3</sup>	Calabilla, i. W D i. U 1.11	
	Solubility in Water: Partially soluble	pH: Not Applicable
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1):	
	vapor Density (AIK-1).	Evaporation Rate (Butyl Acetate =1): Not Applicable
Other: Not Applicable		1). The Tappine upic

10. Stability and Reactivity Data

Hazardous	Products Produced I	Ouring Decomposition:	No dangerous dece	omposition products known if used accitions to Ayoid: None known		
Stability	Polymerization:	May Occur May No	ot Occur   Condi	tions to Avoid: None known	ording to Directions for Use. (I	OFU).
_ Stability/	Stable ☐Unstabl	e	Condi	tions to Avoid: None known		
				Trone known		
Toxicity Daniel	ata, Epidemiology St of crystalline silica ha	udies, Carcinogenicity, as been classified by IA	Neurological Effec	logical Information  cts, Genetic Effects, Reproductive Effects for humans (Groun) Inhalation of or	cts, or Structure Activity Data:	
				cts, Genetic Effects, Reproductive Effects for humans (Group1). Inhalation of crica. Respirable dust from this product rerm, unprotected exposure to dust leve		
disease (sili	icosis). The dry produ	et may irritate the skir	tory system. Long to	erm, unprotected exposure to dust leve	ls in excess of the TLV or PEL	may cause lung
Emergency	Overview. Inhalation	n of crystalline silica ha	as been classified by	y IARC as carcinogenic for humans (Ge exposure to crystalline silica. Respira		may cause rung
crystalline c	se of silicosis, a non-c	cancerous lung disease	caused by excessive	y IARC as carcinogenic for humans (Gi e exposure to crystalline silica. Respira such, it represents a risk to the respirate	roup 1). Inhalation of crystallin	e silica is also a
dust levels i	n excess of the TI V	or DEL	silica (Quartz). As	e exposure to crystalline silica. Respira such, it represents a risk to the respirate	ory system. I amo to sweet may	contain up to 26
Routes of	Signs and	Single, Repeated, or	disease (silicosis).		by system. Long term, unprote	cted exposure to
Exposure	Symptoms	Lifetime Exposure	Severity (Mild,	Acute and Chronic I	lealth Effect(s)	Torrest
Eye	Material can	Single	Moderate	<u> </u>	`,	Target Organi
Skin	cause irritation.  Material may be	Single & Repeated	Moderate	Irritation and possible	_	Not Applicab
	an irritant	angle of Repeated	Moderate	Irritation or possible al	llergic response.	Not Applicab
Inhalation	Transitory upper	Single & Repeated	Moderate		•	, Applicati
	respiratory	• "		Irritation and soreness in throat and	nose. In extreme exposures	Lung
	irritation or eye irritation.			some congestion may occur. Inhala	ation of crystalline silica has	1
	mitation.			been classified by IARC as carcino Inhalation of crystalline silica is also	genic for humans (Group1).	
		j				
				crystalline silica. Respirable dust from	by excessive exposure to	
ľ				to 26 % free crystalline silica (C)	this product may contain up	
i				to 26 % free crystalline silica (Cristobalite) and up to 3 % crystalline silica (Quartz). As such it represents a risk to the		
ļ		i		respiratory system. Long term unpro-	tected ownsours to 1 . 1	
Ingestion	Material is	Not Applicable				
	probably not	Not Applicable	Mild	Low order of toxicity is expected	when material is ingested	37
1	harmful if			y is imposted t	men material is ingested.	Not Applicable
	swallowed				j	
Other	Not Applicable	Not Applicable	Not Applicable			
Medical Cond	litions Aggravated by	Exposure Open sores	and wounds of the	Not Applica	ble	Not Applicable
Carcinogenici	ty NTP?: Not li	sted IARC monogr	anhs? Ves Group	OSHA regulated?: No, All componer		тостррпсане
ompliance w	ith the inventory listi	ng Requirements of the	U. S. Toxic Substa	osh regulated?: No, All componer	nts of this product are in	
otential Envi	ronmental Effects Do	not allow to out	1 2	entrol Act (15CA) Chemical Si	ubstance Inventory.	
IFPA Hazard	Classification Rating	gs (Scale 0-4), Health =	3 Fire = 0 Reacti	ind water.		
oxicity Data,	Environmental Fate,	Physical/Chemical Da	12.Ecologi	cal Information  pporting Environmental Hazard Statemes of it to reach ground water, water stre		
ightly hazard	ous for water. Do no	allow undiluted produ	ct or large quantitie	pporting Environmental Hazard Statem s of it to reach ground water, water stre	nents: Water Hazard class1 (Sel	f-assessment):
			10 54			
egulations: D	ispose of material as	solid waste in a closed	container. Dispose	Considerations of in accordance with Federal, State an eeping is necessary. Sweep up spilled n	dlast ti	
sposal.	a HEFA HITER	Ose dust suppression	such as water if swe	of in accordance with Federal, State an eeping is necessary. Sweep up spilled n	naterial and place in class !	lean dust with
operties (Phy	sical/Chemical) Affe	cting Disposal: Disposa	a of motor' !	d waste in a closed container.	and place in closed con	tainers for
	· · · · · · · · · · · · · · · · · · ·	B - isposar. Dispos	e of material as son	d waste in a closed container.		
egulated fo	r Chinning No. 1	T. (P.	14.Transpo	ort Information		
Changes	or Shipping: No. 1	Not Regulated	I DOT O	nipping Name: Not Regulated	Packing Crawn	
o Changes	m Quantities, pa	ckaging, or shipme	ent DOT H	azard Class: Not Applicable	Packing Group: Not App	licable
culou chan	ge product classi	fication? No			UN Number: Not Appl	icable
			15.Regulato	ry Information		
is product	has been classifi	ed in accordance v				
beling of (	hemicals and the	SDS contains all	of the informat	criteria of the Globally Harmon ion required by the Canadian C	ized System of Classifica	ation and
. Federal Reg	gulations: CERCLA	103 Reportable Quantit	v. This product is	ion required by the Canadian C	ontrolled Products Regul	ations

U.S. Federal Regulations: CERCLA 103 Reportable Quantity. This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65:

Warning: This product contains silica, crystalline (airborne particles of respirable size) which is known by the State of California to cause cancer.

International Regulations: Canadian Environmental Protection Act:
This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):
This product is a medical device and not subject to chemical notification requirements.

## 16.Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.