

Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	

Material name	: A07297 ZEP PRO FMG AC COIL R06301 20N	18
Material number	: 0000000001040605	
Manufacturer or supplier's	letails	
Company	: Zep Inc.	
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	: 404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless, clear
Odour	characteristic

		-
GHS	Classificat	tion

Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place.
Potential Health Effects	
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
ACGIH	No component of this product present a equal to 0.1% is identified as a carcinog carcinogen by ACGIH.	
OSHA	No component of this product present a equal to 0.1% is identified as a carcinog carcinogen by OSHA.	
NTP	No component of this product present a equal to 0.1% is identified as a known of by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
1-(1-methyl-2-propoxyethoxy)propan-2-ol	29911-27-1	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
propane	74-98-6	>= 1 - < 5
sodium nitrite	7632-00-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes.
In case of eye contact	: Remove contact lenses. Rinse immediately with plenty of water for at least 15 minutes. Keep eye wide open while rinsing.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016

Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Do not freeze. Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	



ersion 1.0	Revision	Revision Date 01/30/2015		Print Date 04/11/2016	
		exposure)	Permissible concentration		
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL	
		TWA	800 ppm 1,900 mg/m3	OSHA P0	
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL	
propane	74-98-6	TWA	1,000 ppm	ACGIH	
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL	
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1	
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0	

Personal protective equipment

Respiratory protection	: In the case of dust or aerosol formation use respirator with a approved filter.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless, clear
Odour	: characteristic
Odour Threshold	: no data available
рН	: 11 - 12.2
Melting point/freezing point	: not applicable
Boiling point	: 100 °C
Flash point	: not applicable
Evaporation rate	: 1
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable



Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 1.017 g/cm3	
Solubility(ies)		
Water solubility	: soluble in hot water, soluble in cold w	ater
Solubility in other solvents	: soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Acids
Hazardous decomposition products	: Carbon oxides Organic Substances

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation		
no data available		

Respiratory or skin sensitisation



A07297 ZEP PRO FMG	AC COIL R06301 20N18	
Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
Product:		
Carcinogenicity - Assessment	: Not classifiable as a human car	cinogen.
Reproductive toxicity		
no data available		
1-(1-methyl-2-propoxyethox butane: propane-1,2-diol: propane: sodium nitrite:	y)propan-2-ol:	
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available	e	
Remarks: no data available	e	
SECTION 12. ECOLOGICAL INF	ORMATION	
Ecotoxicity		

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: no data available octanol/water Components: 1-(1-methyl-2-propoxyethoxy)propan-2-ol : Partition coefficient: n- : Pow: 7.7



Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
octanol/water butane : Partition coefficient: n- octanol/water	: Pow: 2.89	
propane-1,2-diol : Partition coefficient: n- octanol/water	: log Pow: -1.07	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological	: no data available	
	no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International regulation

Э



Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
Labels	: 2.2	
Packing instruction (cargo aircraft)	: 203	
Packing instruction (passenger aircraft)	: 203	
IMDG-Code UN number	: 1950	
Proper shipping name	: AEROSOLS	
Class	: 2.2	
Packing group	: Not Assigned	
Labels	: 2.2	
EmS Code	: F-D, S-U	
Marine pollutant	: no	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR UN/ID/NA number	: 1950
Proper shipping name	: Aerosols, non-flammable
Class	: 2.2
Packing group	: Not Assigned
Labels	: 2.2
ERG Code	: 126
Marine pollutant	: no

Special precautions for user

not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard




sion 1.0	Revision Date 01/30/2015	Print Date 04/11/2016	
SARA 302		: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	components with known CAS numb	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of	his product are reported in the following ir	ventories:	
TSCA	On TSCA Inventory		
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS	Not in compliance with the inventory		
NZIOC	Not in compliance with the inventory		
PICCS	Not in compliance with the inventory		
IECSC	Not in compliance with the inventory		

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms



SAFETY DATA SHEET



A07297 ZEP PRO FMG AC COIL R06301 20N18

Version 1.0	Revision Date 01/30/2015	Print Date 04/11/2016
Signal word	: Warning:	

Signal w ord Hazard statements Precautionary statements

: Contains gas under pressure; may explode if heated.

Storage: Protect from sunlight. Store in a well-ventilated place.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.